

Programmable Graphics Hardware

OpenGL Extensions
Shading Languages
Vertex Program
Fragment Program
[Angel Ch. 9]

Feb 29, 2012
Jernej Barbic
University of Southern California
<http://www-bcf.usc.edu/~jbarbic/cs480-s12/>

1

Introduction

- Recent major advance in real time graphics is the *programmable* pipeline:
 - First introduced by NVIDIA GeForce 3 (in 2001)
 - Supported by all modern high-end commodity cards
 - NVIDIA, ATI
 - Software Support
 - Direct X 8, 9, 10
 - OpenGL
- This lecture:
programmable pipeline and shaders

2

OpenGL Extensions

- Initial OpenGL version was 1.0
- Current OpenGL version is 4.2
- As graphics hardware improved, new capabilities were added to OpenGL
 - multitexturing
 - multisampling
 - non-power-of-two textures
 - shaders
 - and many more

3

OpenGL Grows via Extensions

- Phase 1: vendor-specific: GL_NV_multisample
- Phase 2: multi-vendor: GL_EXT_multisample
- Phase 3: approved by OpenGL's review board GL_ARB_multisample
- Phase 4: incorporated into OpenGL (v1.3)


4

OpenGL 2.0 Added Shaders

- Shaders are customized programs that replace a part of the OpenGL pipeline
- They enable many effects not possible by the fixed OpenGL pipeline
- Motivated by Pixar's Renderman (offline shader)

5

Shaders Enable Many New Effects




Complex materials



Shadowing




Lighting environments



Advanced mapping


6

The Rendering Pipeline



7

Shaders Replace Part of the Pipeline



8

Shaders

- Vertex shader (= vertex program)
- Fragment shader (= fragment program)
- Geometry shader (recent addition)
- Default shaders are provided by OpenGL (*fixed-function pipeline*)
- Programmer can install her own shaders as needed

9

Shaders Are Written in Shading Languages

- Early shaders: assembly language
- Since ~2004: high-level shading languages
 - OpenGL Shading Language (GLSL)
 - highly integrated with OpenGL
 - Cg (NVIDIA and Microsoft), very similar to GLSL
 - HLSL (Microsoft), almost identical to Cg
 - All of these are simplified versions of C/C++

10

Vertex Program

- Input: vertices, and per-vertex attributes:
 - color
 - normal
 - texture coordinates
 - many more
- Output:
 - vertex location in clip coordinates
 - vertex color
 - vertex normal
 - many more are possible

11

Simple Vertex Program in GLSL

```
/* pass-through vertex shader */

void main()
{
    gl_Position = gl_ProjectionMatrix
        * (gl_ModelViewMatrix * gl_Vertex);
}
```

12

Fragment Program

- Input: pixels, and per-pixel attributes:
 - color
 - normal
 - texture coordinates
 - many more are possible
- Inputs are outputs from vertex program, interpolated (by the GPU) to the pixel location !
- Output:
 - pixel color
 - depth value

13

Simple Fragment Program

```
/* pass-through fragment shader */

void main()
{
    gl_FragColor = gl_Color;
}
```

14

Simple Fragment Program #2

```
/* all-red fragment shader */

void main()
{
    gl_FragColor = vec4(1.0, 0.0, 0.0, 1.0);
}
```

15

GLSL: Data Types

- Scalar Types
 - float - 32 bit, very nearly IEEE-754 compatible
 - int - at least 16 bit
 - bool - like in C++
- Vector Types
 - vec[2 | 3 | 4] - floating-point vector
 - ivec[2 | 3 | 4] - integer vector
 - bvec[2 | 3 | 4] - boolean vector
- Matrix Types
 - mat[2 | 3 | 4] - for 2x2, 3x3, and 4x4 floating-point matrices
- Sampler Types
 - sampler[1 | 2 | 3]D - to access texture images

16

GLSL: Operations

- Operators behave like in C++
- Component-wise for vector & matrix
- Multiplication on vectors and matrices
- Examples:
 - Vec3 t = u * v;
 - float f = v[2];
 - v.x = u.x + f;

17

GLSL: Swizzling

- Swizzling is a convenient way to access individual vector components
- ```
vec4 myVector;
myVector.rgb; // is the same as myVector
myVector.xy; // is a vec2
myVector.b; // is a float
myVector[2]; // is the same as myVector.b
myVector.xb; // illegal
myVector.xxx; // is a vec3
```

18

## GLSL: Global Qualifiers

- Attribute
    - Information specific to each vertex/pixel passed to vertex/fragment shader
    - No integers, bools, structs, or arrays
  - Uniform
    - Constant information passed to vertex/fragment shader
    - Cannot be written to in a shader
  - Varying
    - Info passed from vertex shader to fragment shader
    - Interpolated from vertices to pixels
    - Write in vertex shader, but only read in fragment shader
  - Const
    - To declare non-writable, constant variables
- |                                            |                                            |
|--------------------------------------------|--------------------------------------------|
| Example:<br>Vertex Color                   | Example:<br>Light Position<br>Eye Position |
| Example:<br>Vertex Color<br>Texture Coords | Example:<br>pi, e, 0.480                   |

19

## GLSL: Flow Control

- Loops
  - C++ style if-else
  - C++ style for, while, and do
- Functions
  - Much like C++
  - Entry point into a shader is void main()
  - No support for recursion
  - Call by value-return calling convention
- Parameter Qualifiers
  - in - copy in, but don't copy out
  - out - only copy out
  - inout - copy in and copy out

Example function:

```
void ComputeTangent(
 in vec3 N,
 out vec3 T,
 inout vec3 coord)
{
 if((dot(N, coord)>0)
 T = vec3(1,0,0);
 else
 T = vec3(0,0,0);
 coord = 2 * T;
}
```

20

## GLSL: Built-in Functions

- Wide Assortment
  - Trigonometry (cos, sin, tan, etc.)
  - Exponential (pow, log, sqrt, etc.)
  - Common (abs, floor, min, clamp, etc.)
  - Geometry (length, dot, normalize, reflect, etc.)
  - Relational (less than, equal, etc.)
- Need to watch out for common reserved keywords
- Always use built-in functions, don't implement your own
- Some functions aren't implemented on some cards

21

## GLSL: Accessing OpenGL State

- Built-in Variables
  - Always prefaced with gl\_
  - Accessible to both vertex and fragment shaders
- Uniform Variables
  - Matrices (ModelViewMatrix, ProjectionMatrix, inverses, transposes)
  - Materials (in MaterialParameters struct, ambient, diffuse, etc.)
  - Lights (in LightSourceParameters struct, specular, position, etc.)
- Varying Variables
  - FrontColor for colors
  - TexCoord[] for texture coordinates

22

## GLSL: Accessing OpenGL State

- Vertex Shader:
  - Have access to several vertex attributes: gl\_Color, gl\_Normal, gl\_Vertex, etc.
  - Also write to special output variables: gl\_Position, gl\_PointSize, etc.
- Fragment Shader:
  - Have access to special input variables: gl\_FragCoord, gl\_FrontFacing, etc.
  - Also write to special output variables: gl\_FragColor, gl\_FragDepth, etc.

23


## Example: Phong Shader (“per-pixel lighting”)

- Questions ?
- Goals:
  - C/C++ Application Setup
  - Vertex Shader
  - Fragment Shader
  - Debugging

24

## Phong Shading Review

$$I = \frac{1}{a + bq + cq^2} (k_d L_d (l \cdot n) + k_s L_s (r \cdot v)^\alpha) + k_a L_a$$



25

## Phong Shader: Setup Steps

- Step 1: Create Shaders
  - Create handles to shaders
- Step 2: Specify Shaders
  - load strings that contain shader source
- Step 3: Compiling Shaders
  - Actually compile source (check for errors)
- Step 4: Creating Program Objects
  - Program object controls the shaders
- Step 5: Attach Shaders to Programs
  - Attach shaders to program objects via handle
- Step 6: Link Shaders to Programs
  - Another step similar to attach
- Step 7: Enable Shaders
  - Finally, let OpenGL and GPU know that shaders are ready

26

## Phong Shader: Vertex Program

```

varying vec3 n; } these will be
varying vec3 vtx; } passed to fragment program
void main(void)
{
 // transform vertex position to eye coordinates:
 vtx = vec3(gl_ModelViewMatrix * gl_Vertex);
 // transform normal:
 n = normalize(gl_NormalMatrix * gl_Normal);
 // transform vertex position to clip coordinates:
 gl_Position = gl_ModelViewProjectionMatrix *
 gl_Vertex;
}

```

27

## Phong Shader: Fragment Program

```

varying vec3 n; } interpolated
varying vec3 vtx; } from vertex program
void main (void)
{
 // we are in eye coordinates, so eye pos is (0,0,0)
 vec3 l = normalize(gl_LightSource[0].position.xyz - vtx);
 vec3 v = normalize(-vtx);
 vec3 r = normalize(-reflect(l,n));
 //calculate ambient, diffuse, specular terms:
 vec4 lamb = gl_FrontLightProduct[0].ambient;
 vec4 ldiff = gl_FrontLightProduct[0].diffuse * max(dot(n,l), 0.0);
 vec4 lspec = gl_FrontLightProduct[0].specular
 * pow(max(dot(r,v),0.0), gl_FrontMaterial.shininess);
 // write total color:
 gl_FragColor = gl_FrontLightModelProduct.sceneColor +
 lamb + ldiff + lspec;
}

```

28

## Debugging Shaders

- More difficult than debugging C programs
- Common show-stoppers:
  - Typos in shader source
  - Assuming implicit type conversion
  - Attempting to pass data to undeclared varying/uniform variables
- Extremely important to check error codes, use status functions like:
  - glGetObjectParameter{Iff}vARB (GLhandleARB shader, GLenum whatToCheck, GLfloat \* statusVals)
- Subtle Problems
  - Shader too long
  - Use too many registers

29

## Summary

- OpenGL Extensions
- Shading Languages
- Vertex Programs
- Fragment Programs
- Phong Shading in GLSL

30